

Hand Drawn—Wide Channel

4100 Track System




©**cam**stage Magazine Published December 2016



4100- The Classic Heavy Duty Curtain Rail System

This premier profile of classic design is one of the strongest tracks in the T 000 Range, with the ability to span up to 260cm between bracket centres, profile 4100 is especially appropriate for wide window situations where fixing points are limited. System 4100 is suitable for many curtain applications and is particularly suitable for very heavy curtain when assembled with rollers or our technically advanced heavy duty gliders. Already established within the commercial sector this profile is now in demand for the design lead domestic market.







Specification Guide

Material:

Aluminium 606035-T6-F22. (Higher specification than DIN 1725). Shape and size tolerances are in accordance with DIN 17615. White RAL 9010 powder coated in accordance with the Qualicoat standard. Special colours on request. Profile weight: 394 g/m.

Accessories:

Gliders 4010 at 10-16 per metre with 2 end stops 4001 and 2 end covers 4153 per length.

Installation:


Ceiling fixing with ceiling fixing plate 4135 or mini-suspension hanger 4254. Face fixing with wall support 4150, adjustable extension bracket 4217 or extension bracket 4115.

Bracket fixing centres in accordance with the G-Standard or the following table. light medium heavy (curtain) 200 cm 150 cm 110 cm

Bendina:

Minimum radius 20 cm. Bending machine 1015.


Standard (bracket fixing guide)





HAND DRAWN WIDE CHANNEL

4100



Product example

Face fixing twin rail 4100 using adjustable

extension brackets 4217-202

face fixing with extension bracket 4115-10

Components

Product design and specification changes reserved.

